



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number : **0 516 590 A1**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number : **92810395.1**

(51) Int. Cl.⁵ : **A01N 49/00, A01N 53/00,
A01N 25/00**

(22) Date of filing : **26.05.92**

(30) Priority : **31.05.91 US 709003**

(43) Date of publication of application :
02.12.92 Bulletin 92/49

(84) Designated Contracting States :
**AT BE CH DE DK ES FR GB GR IT LI LU NL PT
SE**

(71) Applicant : **SANDOZ LTD.**
Lichtstrasse 35
CH-4002 Basel (CH)

(84) **BE CH DK ES FR GB GR IT LI LU NL PT SE**

(71) Applicant : **SANDOZ-PATENT-GMBH**
Humboldtstrasse 3
W-7850 Lörrach (DE)

(84) **DE**

(71) Applicant : **SANDOZ ERFINDUNGEN**
VERWALTUNGSGESELLSCHAFT M.B.H.
Brunner Strasse 59
A-1235 Vienna (AT)

(84) **AT**

(72) Inventor : **Chatfield, Ronald Curtis**
404 Moonlight Lane
Keller, Texas 76248 (US)
Inventor : **Donahue, William Arthur**
2307 Harbinger Lane
Dallas, Texas 75287 (US)
Inventor : **Gladney, William Jess**
5101 Quail Creek Drive
McKinney, Texas 75070 (US)

(54) **Flea control method.**

(57) Method of controlling fleas employing a pre-treated host animal as vector for applying a flea control agent.

EP 0 516 590 A1

The present invention concerns a method of controlling or eliminating pest-infestation of domestic animals which employs the animals themselves as vectors for pest control agents.

Parasitic insects such as ticks, lice and especially fleas which infest pets such as cats and dogs are a major source of concern. Apart from infesting animals with eggs which hatch and feed off the animal's blood and/or flesh they transmit a variety of infectious diseases.

In the control of such parasites various treatments are employed using various types of insecticides applied both to the pet's habitat and in certain cases to the pet itself.

The most effective insecticides for treating these parasites and especially fleas are insect growth regulators (IGR) such as chitin synthesis inhibitors, ecdysone agonists and especially Juvenile hormone analogues and/or mimics. Examples include methoprene, hydroprene, kinoprene, fenoxycarb, fluphenacur, cyromazine, chlorfluazuron, hexaflumuron, diflubenzuron, flucyclohexuron, teflubenzuron, flufenoxuron, triflumuron, pyriproxifen, N-[[[3,5-dichloro-4-(3,4,5-trichloro-pyrazol-1-yl)phenyl]amino]carbonyl]-2-chlorobenzamide, or mixtures of suitable IGRs such as these. IGR's, unlike traditional pesticides, do not kill insects directly. Methoprene for example acts by disrupting the flea's development to such an extent as to be fatal on larvae. In common with other IGRs it also has an ovicidal effect and prevents hatch and/or development of eggs when applied directly or to adults. IGR's thus prevent the development of future generations and especially if used with an adulticide such as a pyrethroid or pyrethrin prevent reinfestation.

In spite of recent improvements in pet parasite control brought about by the introduction of IGRs serious problem exist in achieving a cost-effective treatment of all areas to successfully prevent reinfestation and thus retreatment.

One particular problem involves the identification and treatment of all so-called "hot-spots" i.e. those areas favored by the pet for sleeping or resting such as bedding, carpet areas, tops of cupboards, under beds, and the like.

Indiscriminate treatment of all possible areas would involve large amounts of pesticide and studies have shown that the survival of flea larvae in the untreated state is significantly limited to the areas most frequently visited by the pet (Robinson & Byron 1988, The Cat Flea and its Control, National Pest Control Association).

It has now surprisingly been found that effective and long-lasting parasite, especially flea control on pets, can be obtained by using the pet itself as the vector for applying the control agent.

The present invention therefore concerns a method for the control of parasites of domestic animals which comprises applying to the animal a parasite control agent in an amount sufficient to in turn transfer to the animal's environment an amount of that insect control agent which is sufficient to control said parasites.

As mentioned above the insect control agent is preferably an IGR most preferably methoprene or (S)-methoprene. When employing an IGR the amount sufficient for control is that which will inhibit the development of the immature stages of the parasite in the pet's environment such as in carpets, pet-bedding and the like.

Examples of parasites which may be controlled include ticks, lice and especially fleas such as cat fleas, dog fleas, sticktight flea, human fleas, rat flea and other rodent fleas, bird fleas, etc.

Treatment of this nature is particularly useful in controlling fleas in cats and dogs but can also be used on birds and livestock.

The amount of active ingredient employed will depend on the severity of infestation, product used, animal involved, mode of application and the like but can be readily determined by the man skilled in the particular art by routine experimentation.

Thus by way of example when employing IGRs the amount applied to the animal may be the same as or less than that usually employed for parasite control by direct application on the animal itself or its environment. When using the IGR (S)-methoprene for example concentrations of 0.001% to 0.2%, especially 0.01% to 0.2% applied as a dip was sufficient to prevent adult flea emergence in carpet and pet bedding areas.

When employing IGR's in the method according to the invention it is advantageous that they be employed together with an adulticide such as a natural pyrethrin or a low-toxicity pyrethroid. Examples include pyrethrins, permethrin, bioallethrin, resmethrin, chorporifos, carbaryl, propoxur, naled, phosmet, limonene, linalool, cythioate, malathion.

Obviously compounds used in the method according to the invention preferably are non-toxic to domestic animals such as pets e.g. methoprene and (S)-methoprene.

Whilst "on-animal" treatment alone may be feasible, dual application may be preferred for securing against reinfestation and for preventative and "clean-up" applications.

In the method according to the invention the control agent may be applied as is or in a diluted form in known manner e.g. as a dip, spray, foam, dust, grease or pour-on. Dips are not applied per se, but the animals immersed in a dipping bath containing the dip wash. Sprays may be applied by hand e.g. in aerosol form. Dusts may be distributed over the animals by means of a powder gun. Pastes and greases may be applied manually. Pour-on formulations are dispensed as a unit of liquid of small volume onto the backs of animals such that all

or most of the liquid is retained on the animals.

The control agents may be formulated either as formulations ready for use on the animals or as formulations requiring further dilution prior to application, but both types of formulations comprise active ingredient (a.i.) in intimate admixture with one or more carriers or diluents. The carriers may be liquid, solid or gaseous or comprise mixtures of such substances and the a.i. may be present in a concentration of from 0.025 to 99% w/v depending upon whether the formulation requires further dilution.

Dusts may be prepared by intimate admixture of the chosen a.i. with a powdered solid inert carrier for example suitable clays, kaolin, talc, mica, starch and diatomaceous earths.

Sprays may comprise a solution in an organic solvent or an emulsion in water (dip wash or spray wash) prepared in situ from an emulsifiable concentrate which may also be used for dipping purposes. The concentrate preferably comprises a mixture of the active ingredient, an organic solvent and one or more emulsifiers. Solvents may be present in wide limits but preferably in an amount of from 20 to 60% w/v of the composition and may be selected from kerosene, ketones, alkanols, xylene, aromatic naphtha, and other solvents known in the formulating art. The concentration of emulsifiers may be varied within wide limits but preferably in the range of 5 to 25% w/v and are conveniently non-ionic surface active agents including polyoxyalkylene esters of alkyl phenols and polyoxyethylene derivatives of hexitol anhydrides.

Dip washes may be prepared not only from emulsifiable concentrates but also from wettable powders comprising an a.i. in intimate admixture with a dispersing agent and one or more surface active agents.

Greases (or ointments) may be prepared from vegetable oils, synthetic esters of fatty acids or wool fat together with an inert base such as soft paraffin. An a.i. is preferably distributed uniformly through the mixture in solution or suspension. Greases may also be made from emulsifiable concentrates by diluting them with an ointment base.

Pastes are also semi-solid preparations in which an a.i. may be present as a uniform dispersion in a suitable base such as soft or liquid paraffin or made on a non-greasy basis with glycerin, mucilage or a suitable soap. As greases and pastes are usually applied without further dilution they should contain the appropriate percentage of the a.i. required for treatment.

Aerosol sprays may be prepared as a simple solution of the a.i. in the aerosol propellant and a co-solvent such as halogenated alkanes and the solvents or suspension of an a.i. in a liquid medium which also contains a viscous oil to minimize spreading of the formulation on the surface of the animals.

The concentration of the a.i. to be applied to an animal will vary according to the a.i. chosen, the nature of the formulation and the likely infestation, but in general 0.025% to 1% w/v of the compound should be present in the applied formulation. It will be understood that the amount of the compound deposited on an animal will vary according to the method of application, size of the animal, hair length, concentration of the compound in the applied formulation and the nature of the formulation.

Dusts, greases, pastes and aerosol formulations are usually applied in a random fashion as described above and concentrations of 0.5 to 1.0% w/v of an a.i. formulation may be used.

Commercially available formulations such as PETCOR®, OVITROL®, (Zoecon Corporation) and the like may be used in concentrations suitably adjusted for the new use.

The following examples illustrate the invention without in any way restricting same.

EXAMPLE 1

Control of Ctenocephalides felis in cats and their environment

Test Material

Dips are prepared with an inverse emulsion of a.i. (see below) to give the desired final concentrations thereof by mixing the concentrate with water at 4 oz/gallon dilution rates. A dip containing 0% a.i. is also prepared as control.

Test Method

Thirty healthy non-infested cats of mixed breed and varying hair lengths and color with approximately equal sex ratios are employed. The cats are placed, 3 pairs/treatment in chambers (ca 4'x8'x8") (1.2m x 2.4m x 0.2m) which contain a medium pile carpet on the floor and on a raised resting area. The cats are provided with litter pan, food and water in line with normal animal husbandry. Before introducing the treated animals larval flea media (1 part dried beef blood to 5 parts ground dry cat chow is mixed 1:1 with sand) is prepared and ca 250 gms/chamber spread over the carpet and brushed in.

Cats are fully dipped in the dip and after shaking off are returned to the chambers. Two 7"x7" (ca 18cm x 18cm) carpet samples (one from floor, one from resting area) are taken on a weekly basis from each chamber.

Biological Evaluation

5

Two (2) 3 1/2" (ca 8.9cm) carpet circles are cut from each sample and placed in the bottom of a 1 pint (470 ml) paper ice cream carton. Carpet circles are also cut from clean untreated carpet and set up as untreated controls. The top are fitted with a sheer fabric to allow air flow into the cup and easy observation of emerging adult fleas. Flea eggs are collected from *C. felis*. One hundred healthy appearing flea eggs from *C. felis* are counted under a dissecting microscope and placed on top of the carpet in each cup. For the untreated control carpet samples flea media and sand are added to the carpet before the eggs are put in. The samples are covered and incubated at approximately 80 degrees Fahrenheit (ca 27°C) with approximately 75-85% relative humidity and a 12 hour photoperiod for 3 weeks. The carpet samples are then gleaned for adult fleas. This is accomplished by rubbing the fingers vigorously over the carpet to dislodge adults and stimulate any remaining adults to emerge from the cocoon.

15

On employing (S)-methoprene in the above tests at a concentration of 0.05% produced 100% inhibition of adult flea emergence up to 6 weeks after treatment

EXAMPLE 2

20

Formulations

a) Spray

25

Ingredients

(W/W%)

i) Pyroclide Intermediate*

2.2

5192

ii) (S)-Methoprene (90%)

0.29

30

iii) MGK Repellent 11 (95.0%)*

0.44

iv) Isopropyl Alcohol

61.52

v) Deionized water

35.5

35

*i) 9% Pyrethrins, 18% Piperonyl Butoxide and 30% N-Octyl bicycloheptene
(McLaughlin Gormley King Co., Minneapolis, MN).

*iii) McLaughlin Gormley King Co., Minneapolis, MN

40

b) Dip

Ingredients

(W/W%)

i) active ingredients

12.5

45

ii) Sponto N-140-B*

13.5

iii) Tergitol 15-5-20*

1.5

iv) SureSol 190*

72.5

50

*ii) Blended (anionic/nonionic) emulsifier (Witco Chemical Corp., Houston, TX)

*iii) Non-ionic surfactant (Union Carbide Co., Danbury, CT)

*iv) Aromatic Solvent (Koch Chemical Co., Corpus Christi, TX)

55

Claims

1. A method for the control of parasites of domestic animals which comprises applying to the animal a parasite control agent in an amount sufficient to in turn transfer to the animal's environment an amount of that insect control agent which is sufficient to control said parasites in that environment.
2. A method according to Claim 1 wherein the parasite control agent comprises an insect growth regulator.
3. A method according to Claim 3 wherein said parasite control agent is selected from methoprene or (S)-methoprene.
4. A method according to Claim 1 wherein the parasite control agent additionally comprises an adulticide.
5. A method according to Claim 4 wherein said adulticide is selected from pyrethrins, permethrin, bioallethrin, resmethrin, chlorpyrifos, carbaryl, propoxur, naled, phosmet, limonene, linalool, cythioate, malathion.
6. A method according to Claim 1 wherein the parasites are fleas.
7. A method according to Claim 1 wherein the domestic animals are cats or dogs.
8. A method according to Claim 1 wherein the parasite control agent is applied as a dip.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

DOCUMENTS CONSIDERED TO BE RELEVANT			EP 92810395.1
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)
X	EP - A - 0 346 544 (CARTER-WALLAGE INC.) * Claims 1,10,13,14 *	1,6-8	A 01 N 49/00 A 01 N 53/00 A 01 N 25/00
A	* Claims 1,10 *	5	
X	US - A - 4 518 593 (JUVIN et al.) * Column 1, lines 9-12; claims *	1,4-8	
X	CHEMICAL ABSTRACTS, vol. 106, no. 11, March 16, 1987 Columbus, Ohio, USA L.M. EL-GAZZAR et al. "Insect growth regulators: mode of action on the cat flea, Ctenocephalides felis (Siphonaptera: Pulicidae).", page 222, column 2, abstract-no. 80 316c & J. Med. Entomol. 1986, 23(6), 651-4	1-3,6, 7	
A	CHEMICAL ABSTRACTS, vol. 113, no. 9, August 27, 1990 Columbus, Ohio, USA M.K. RUST et al. "Activity of insecticides against the pre- emerged adult cat flea in the cocoon (Siphonaptera: Pulicidae).", page 267, column 2, abstract-no. 72 973u & J. Med. Entomol. 1989, 26(4), 301-5	1,4,5	A 01 N A 61 K
A	CHEMICAL ABSTRACTS, vol. 108, no. 13, March 28, 1988 Columbus, Ohio, USA M.K. RUST et al. "Performance	1,4,5, 8	
The present search report has been drawn up for all claims			
Place of search VIENNA		Date of completion of the search 07-09-1992	Examiner SCHNASS
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.82 (10/90)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

-2-

EP 92810395.1

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CL5)
A	<p>of insecticides for control of cat fleas (Siphonaptera: Pulicidae) indoors.", page 233, column 2, abstract-no. 108 122d & J. Econ. Entomol. 1988, 81(1), 236-40</p> <p>---</p> <p>CHEMICAL ABSTRACTS, vol. 91, no. 11, September 10, 1979 Columbus, Ohio, USA G.W. BENNET et al. "Evaluation of encapsulated pyrethrins (Sectrol) for German cockroach and cat flea control.", page 237, column 1, abstract-no. 85 120r & Pyrethrum Post 1978, 14(3), 68-71</p> <p>---</p>	1,4-7	
A	<p>CHEMICAL ABSTRACTS, vol. 104, no. 23, June 09, 1986 Columbus, Ohio, USA J.T. LANG et al. "Methoprene dust for flea (Siphonaptera: Ceratophyllidae) suppression on ground squirrels (Rodentia: Sciuridae).", page 298, column 2, abstract-no. 202 269w & J. Med. Entomol. 1986, 23(2), 141-5</p> <p>---</p>	1-3,6	TECHNICAL FIELDS SEARCHED (Int. CL5)
A	<p>CHEMICAL ABSTRACTS, vol. 104, no. 17, April 28, 1986 Columbus, Ohio, USA L.M. EL-GAZZAR et al. "Insecticide resistance in</p>	1,4-7	
The present search report has been drawn up for all claims			
Place of search VIENNA		Date of completion of the search 07-09-1992	Examiner SCHNASS
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>& : member of the same patent family, corresponding document</p>			

EPO FORM 1503 01.82 (10/001)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number

-3-

EP 92810395.1

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int. CL 5)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
A	<p>the cat flea (Siphonaptera: Pulicidae).", page 239, column 2, abstract-no. 143 919h & J. Econ. Entomol. 1986, 79(1), 132-4 --</p> <p>CHEMICAL ABSTRACTS, vol. 104, no. 17, April 28, 1986 Columbus, Ohio, USA W.L.A. OSBRINK et al. "Distribution and control of cat fleas in homes in Southern California (Siphonaptera: Pulicidae).", page 239, column 2, abstract-no. 143 920b & J. Econ. Entomol. 1986, 79(1), 135-40 --</p>	1-8	
A	<p>CHEMICAL ABSTRACTS, vol. 98, no. 3, January 17, 1983 Columbus, Ohio, USA G.N. CLARK et al. "Metho- prene: an insect growth re- gulator for domestic flea control.", page 197, column 1, abstract-no. 12 899m & Chem. Times Trends 1982, 5(4), 52-5 ----</p>	1-3, 6	TECHNICAL FIELDS SEARCHED (Int. CL 5)
The present search report has been drawn up for all claims			
Place of search VIENNA		Date of completion of the search 07-09-1992	Examiner SCHNASS
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p>		<p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ----- & : member of the same patent family, corresponding document</p>	

EPO FORM 1503 Q1.83 (P0401)

EUROPEAN PATENT REGISTER / EPIDOS

05/01/1998

AN: 92810395.1 PN: 0516590 IPC: A01N49/00

PART I - REGISTER OF EUROPEAN PATENTS (R92 EPC)

PUBLICATION NUMBER : 0516590
 APPLICATION NUMBER : 92810395.1
 PUBLISHED : 02.12.1992/A1
 GRANTED : 16.10.1996/B1
 SEARCH REPORT : 02.12.1992
 FILING DATE : 26.05.1992
 PRIORITY : 31.05.1991/ US 709003
 CLASSIFICATION : A01N49/00, A01N53/00, A01N25/00
 DESIGNATION : AT BE CH DE DK ES FR GB GR IT LI LU NL
 PT SE
 TITLE : FLEA CONTROL METHOD
 APPLICANT : FOR : BE-CH-DK-ES-FR-GB-GR-IT-LI-LU-NL
 PT-SE
 SANDOZ LTD.
 LICHTSTRASSE 35
 4002 BASEL/CH
 FOR : DE
 SANDOZ-PATENT-GMBH
 HUMBOLDTSTRASSE 3
 79539 LORRACH/DE
 FOR : AT
 SANDOZ ERFINDUNGEN
 VERWALTUNGSGESELLSCHAFT M.B.H.
 BRUNNER STRASSE 59
 1235 WIEN/AT
 INVENTOR : CHATFIELD, RONALD CURTIS/404 MOONLIGHT
 LANE/KELLER, TX 76248/US
 DONAHUE, WILLIAM ARTHUR/2307 HARBINGER
 LANE/DALLAS, TX 75287/US
 GLADNEY, WILLIAM JESS/5101 QUAIL CREEK
 DRIVE/MCKINNEY, TX 75070/US
 REQUEST FOR EXAMINATION : 22.04.1993
 FIRST EXAMINATION REPORT : 07.04.1995
 OPPOSITION : 01(07.07.1997)
 BAYER AG
 KONZERNBEREICH RP PATENTE UND LIZENZEN
 51368 LEVERKUSEN/DE

PART II - INFORMATION REGISTER (EPIDOS)

THIS APPLICATION IS BEING TREATED IN (/FAX-NR): MUNICH /(+49-89) 23998787
 THE PROCEDURE LANGUAGE IS (DE/EN/FR) : EN

CHAPTER - EXAMINATION PROCEDURE

EXAMINATION REPORT(S) A.96(2), R.51(2)
 DATE DISPATCH/TIME-LIMIT/REPLY : 07.04.1995/M04/04.08.1995
 COMMUNICATION R.51(4) DISPATCHED: 04.12.1995
 - APPROVAL (YES OR NO) : NO
 - LATER APPROVAL : 15.04.1996
 COMMUNICATION R.51(6) DISPATCHED: 18.04.1996
 PAYMENT OF FEE FOR GRANT / FEE FOR PRINTING : 24.05.1996/24.05.1996

CHAPTER - OPPOSITION PROCEDURE

OBSERVATION OF THE PROPRIETOR TO OPPOSITION
 DISPATCH/TIME-LIMIT/REPLY : 21.08.1997/M04/00.00.0000

CHAPTER - RENEWAL FEES (ART.86)

RENEWAL FEE A.86 (PATENT YEAR/PAID)

: 03/18.04.1994

04/24.04.1995

05/13.04.1996

CHAPTER - CITED DOCUMENTS

THIS CHAPTER SHOWS THE ACTUAL SITUATION OF THE CITED DOCUMENTS.
NO OBLIGATION IS TAKEN FOR THE COMPLETENESS OF ALL THE CASES.

:EP A 346 544

:US A 4 518 593

:CHEMICAL ABSTRACTS, VOL. 106, NO. 11, 16 MARCH 1987, COLUMBUS, OH (US); L
M. EL-GAZZAR ET AL., P. 222, NO. 80316C

:CHEMICAL ABSTRACTS, VOL. 113, NO. 9, 27 AUGUST 1990, COLUMBUS, OH (US); M
K. RUST ET AL., P. 267, NO. 72973U

:CHEMICAL ABSTRACTS, VOL. 108, NO. 13, 28 MARCH 1988, COLUMBUS, OH (US); M
K. RUST ET AL., P. 233, NO. 108122D

:CHEMICAL ABSTRACTS, VOL. 91, NO. 11, 10 SEPTEMBER 1979, COLUMBUS, OH (US)
G.W. BENNET ET AL., P. 237, NO. 85120R

:CHEMICAL ABSTRACTS, VOL. 104, NO. 23, 09 JUNE 1986, COLUMBUS, OH (US); J.
LANG ET AL., P. 298, NO. 202269W

:CHEMICAL ABSTRACTS, VOL. 104, NO. 17, 28 APRIL 1986, COLUMBUS, OH (US); L
M. EL-GAZZAR ET AL., P. 239, NO. 143919H; AND W.L.A. OSBRINK ET AL., P.
239, NO. 143920B

:CHEMICAL ABSTRACTS, VOL. 98, NO. 3, 17 JANUARY 1983, COLUMBUS, OH (US); G
N. CLARK ET AL., P. 197, NO. 12899M

** END OF DATA **

AP - 92.05.26 92810395/92-EP [92ES-E10395]
PR - 91.05.31 US 709003/91-A [91US-709003]
IC - A01N-049/00; A01N-053/00; A01N-025/00
ND - AR

*** LEGAL STATUS INFORMATION ***

-LS 1-
PN - AT 144102 [ATE144102]
DT - AT-R
ACT - 96.11.15 AT/REF-P
CORRESPONDS TO EP-PATENT
ENTSPRICHT EP-PATENT
(EP 516590 [EP-516590] 96.10.16)
ACT - 97.05.15 AT/UEP [+]
PUBLICATION OF TRANSLATION OF EUROPEAN PATENT SPECIFICATION
UEBERSETZUNG DER EUROPÄISCHEN PATENTSCHRIFT AUSGEGEBEN
ACT - 97.08.15 AT/EEFA
CHANGE OF THE COMPANY NAME
FIRMENAENDERUNG
UP - 9737

-LS 2-
PN - DE 69214518 [DE69214518]
DT - DE-P
ACT - 96.11.21 DE/REF-P
CORRESPONDS TO
ENTSPRICHT
(EP 516590 [EP-516590] 96.11.21)
ACT - 97.03.20 DE/8373
TRANSLATION OF PATENT DOCUMENT OF EUROPEAN PATENT WAS RECEIVED AND HAS
BEEN PUBLISHED
UEBERSETZUNG DER PATENTSCHRIFT DES EUROPÄISCHEN PATENTES IST EINGEGANG
UND VERÖFFENTLICHT WORDEN
ACT - 97.10.02 DE/8363 [-]
OPPOSITION AGAINST THE PATENT
EINSRUCH GEGEN DAS PATENT ERHOBEN
UP - 9740

-LS 3-
PN - EP 516590 [EP-516590]
DT - EP-P
ACT - 92.05.26 EP/AE-A
EP-APPLICATION
EUROPÄISCHE ANMELDUNG
{EP 92810395/92 [92EP-810395] 92.05.26}
ACT - 92.12.02 EP/AK-A1 [+]
DESIGNATED CONTRACTING STATES IN AN APPLICATION WITH SEARCH REPORT:
IN EINER ANMELDUNG BENANNTE VERTRAGSSTAATEN
AT BE CH DE DK ES FR GB GR IT LI LU NL PT SE
ACT - 92.12.02 EP/A1 [+]
PUBLICATION OF APPLICATION WITH SEARCH REPORT
VERÖFFENTLICHTUNG DER ANMELDUNG MIT RECHERCHENBERICHT
ACT - 93.06.16 EP/17P [+]
REQUEST FOR EXAMINATION FILED
PRUEFUNGSANTRAG GESTELLT
930422
ACT - 95.05.24 EP/17Q [+]
FIRST EXAMINATION REPORT
ERSTER PRUEFUNGSBESCHIED
950407
ACT - 96.10.16 EP/AK-B1 [+]
DESIGNATED CONTRACTING STATES MENTIONED IN A PATENT SPECIFICATION:
IN EINER PATENTSCHRIFT ANGEFUEHRTE BENANNTE VERTRAGSSTAATEN